

# CEVOL PALLET HIRE

YOUR MATERIALS HANDLING & LOGISTICS SOLUTION



*Leaders in Quality, Reliability and Safety*  
[www.cevol.com.au](http://www.cevol.com.au)



## CEVOL STORY SO FAR...

Colin Love Snr began building steel pallets (stillages) in 1968, registering Colin Love & Co Pty Ltd (the manufacturer). This was shortly followed by Cevol Industries Pty Ltd (the hirer), as it became apparent that most companies saw the advantage in hiring, with no capital outlay, full tax deduction, combined with flexibility of supply.

There is no minimum number or period of time for the hire of Cevol pallets – for a few days while moving location, to long term storage use.

The intention was to offer for hire a standard pallet with no variations. Forty years on our range has increased to over 30 styles of pallets, which includes our original SM.1 type pallet. We are now the largest manufacturer of steel pallets in Australia. Cevol's pallets have been cost effectively utilised in industries as diverse as; Automotive, Plastics, Security, Logistics and Warehousing, Clothing Manufacturing, Recyclers, Mail Distribution and Printers to name a few.

We pride ourselves on keeping in close contact with our customers and markets, so we are there to help with changing needs and material handling requirements. Cevol has always been extremely conscious of Health and Safety, ease of handling and need for product protection. Every design is tested and approved to ensure a safe and reliable product. Our design team have over 100 years experience between them in designing and manufacturing quality products.

With the recession in 1989 the decision was made to grow, not decline, and the company set up agents in New South Wales and Queensland. In the years that have followed we have built branches in both states and more recently have opened in Perth and Adelaide.

Cevol Industries is proud to say that they are still fully Australian owned, with all pallets manufactured in Victoria by our sister company Colin Love and Co Pty Ltd, and assembled in the various state branches. Currently with 14 robotic welders and a robotic spray paint system to help maintain our cost effective hire rates, you can be assured of the quality of every product, at cost effective prices. At Cevol our goal will always be to supply the best quality product and service.

Health and Safety is a major priority and therefore the maintenance of Cevol pallets is crucially important. We ask all our customers to work with us and return any damaged units for replacement. Cevol Industries comply with Australian Standards regulations.

AS / NZS 1554.1 : 2004, AS / NZS 3679.1 - 300, AS 1594, AS 1163 – C350 LO



## STANDARD FEATURES OF PALLETS

1. All units have 4 way lifting access
2. All units make maximum use of legal truck tray space
3. Folding pallets – C Series parts are non-removable for loss prevention
4. Security lids available on request for most types
5. All gates can be opened when stacked
6. Pallets are a versatile substitute for fixed racking
7. Can be stencilled with your company name & numbered
8. Various pallets with same base dimension are interstackable

## CUSTOM MADE PALLETS DESIGNERS AND MANUFACTURERS FOR OVER 40 YEARS



- Prototype Design
- Dunnage
- Fixed Post and Folding Cages
- Bins
- Trolleys
- Robotic Welding
- Specialised Export Stillages

Our qualified staff will help with concepts and designs for your manufacturing, storage, logistics, warehousing or other material handling needs.



FM.1

## FM.1

### STANDARD FEATURES:

- Galvanised base
- Zinc plated gates & sides
- Sound deadening material on base
- No pinch points on gate latches
- Nests in standard racking
- Gates half drop & remove fully - walk in access
- Ends - tensioned to stop them falling
- Parts easily replaced & interchangeable
- Positive stacking method
- Available with a lid & shelves

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1160 x 1160
Useable space	1090 x 1090
Outside feet	1170 x 1170
Overall height	1130
Inside height	935
Folded height	360
Under base	120
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	1.13 m3
Approx mass	98 kg

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS

**"AUSTRALIA POST APPROVED"**



FM.1



FM.1



FM.1

## FP.1

### STANDARD FEATURES:

- Rugged construction
- Fork entry all sides
- Can be stored in racking
- Fixed roof
- May be used as security container
- One barn door - lockable
- Gate may be removed when loading
- Provision for one shelf

### SPECIFICATIONS: All measurements are in mm

Outside stacking spigots	1167 x 1167
Inside base	1136 x 1136
Overall height	1025
Inside height	910
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	1.2 m3
Approx mass	125 kg

## FP.2

### STANDARD FEATURES:

- Rugged construction
- Fork entry all sides
- Can be stored in racking
- Fixed roof
- May be used as security container
- Two barn doors - both lockable
- Gates may be removed when loading
- Provision for two shelves

### SPECIFICATIONS: All measurements are in mm

Outside stacking spigots	1167 x 1167
Inside base	1136 x 1136
Overall height	2050
Inside height	1820
Safe working load	1000 kg per unit stacked 2 high (N.A.T.A tested)
Cubic capacity	2.41 m3
Approx mass	170 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



FP.1



FP.2



FP.2 (with 2 shelves)



FP.2 (with 1 shelf)



BM.1

## BM.1 & BS.1

### STANDARD FEATURES:

- Fixed post pallet with half drop front gate
- Designed to fully utilise legal space on tray trucks
- Can be made with a lockable lid i.e. BM.1L/BS.1L
- Can be stacked 2 high on truck

### SPECIFICATIONS: All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2200 x 980
Outside feet	2292 x 1158
Overall height	1285
Inside height	1070
Under base	100
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	2.5 m3
Approx mass	BM.1 - 180 kg BS.1 - 225 kg



BS.1

## BM.2

### STANDARD FEATURES:

- Fixed post pallet with 2 half drop gates
- Designed to fully utilise legal space on tray trucks
- Can be stacked 3 high on truck
- Can be made with a lockable lid i.e. BM.2L

### SPECIFICATIONS: All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2200 x 980
Outside feet	2292 x 1158
Overall height	940
Inside height	725
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	1.69 m3
Approx mass	165 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE



BM.2

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS

## CBM.1R & CBS.1R

### STANDARD FEATURES:

- Folding pallet offering bulk storage and visual product identification
- Four folded equals one built up
- Sides are not removable, therefore cannot be lost
- Both can be made with a lockable lid i.e. CBM.1RL & CBS.1RL

### SPECIFICATIONS: All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2180 x 980
Outside feet	2292 x 1158
Overall height	1265
Inside height	1050
Folded height	330
Under base	100
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	2.3 m3
Approx mass	CBM.1R - 190 kg CBS.1R - 220 kg



CBM.1R

## CBM.2R

### STANDARD FEATURES:

- Folding pallet offering bulk storage and visual product identification
- Three folded equals one built up
- Sides are not removable, therefore cannot be lost

### SPECIFICATIONS: All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2180 x 980
Outside feet	2292 x 1158
Overall height	940
Inside height	725
Folded height	330
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	1.6 m3
Approx mass	170 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



CBS.1R



CBM.2R



BM.1F

## BM.1F & BM.1FC

### STANDARD FEATURES:

BM.1F pallet with fixed end frames, or BM.1FC with folding end posts, suitable for storage of product in rolls, tubes or bulker bags  
Useful for easing warehousing problems  
Designed to fully utilise legal space on tray trucks  
Goods in rolls may overlap the base depending on the strength of the roll

### SPECIFICATIONS: All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2200 x 980
Outside feet	2292 x 1158
Overall height	1285
Inside height	1070
Folded height	BM.1FC - 330
Under base	100
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	2.53 m <sup>3</sup>
Approx mass	163 kg



BM.1FC

## BM.1SG

### STANDARD FEATURES:

Fixed post pallet with 2 x swinging gates  
Designed to fully utilise legal space on tray trucks  
Can be made with a lockable lid i.e. BM.1L/BS.1L  
Can be stacked 2 high on truck

### SPECIFICATIONS: All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2200 x 980
Outside feet	2292 x 1158
Overall height	1285
Inside height	1070
Under base	100
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	2.5 m <sup>3</sup>
Approx mass	BM.1SG - 180 kg

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



BM.1SG

## D & D LONG

### STANDARD FEATURES:

Pallet with fixed frames on longer sides  
Ability to stack and store longer product  
Suitable for storage of rolls, tubes or bulker bags

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1232 x 927
Useable space	1152 X 927
Outside feet	1325 x 1020
Overall height	1254
Inside height	1060
Under base	100
Safe working load	500 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	1.13 m <sup>3</sup>
Approx mass	57 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE

## DWP

### STANDARD FEATURES:

Very rugged construction  
Specifically for storage of loaded wooden pallets  
Can be stacked on top of each other and avoid damage to product  
Can be stacked and shifted as necessary  
Fork entry on all sides

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1232 x 927
Useable space	1232 x 927
Outside feet	1405 x 1020
Overall height	1254
Inside height	1060
Under base	100
Safe working load	1500 kg per unit stacked 3 high (N.A.T.A tested)
Cubic capacity	1.21 m <sup>3</sup>
Approx mass	62 kg

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



D



D LONG



DWP



DF

## DF

### STANDARD FEATURES:

- Pallet with folding end frames
- Suitable for storage of rolls, tubes or bulker bags
- Useful for easing warehousing problems
- Four pallets folded and stacked equals one built up

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1232 x 927
Useable space	1110 x 927
Outside feet	1325 x 1020
Overall height	1254
Inside height	1060
Folded height	305
Under base	100
Safe working load	500 kg per unit stacked

4 high (N.A.T.A tested)

Cubic capacity 1.13 m3

Approx mass 57 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE



SM.1

## SM.1 & SM.1R

### STANDARD FEATURES:

- Our first and most popular pallet
- Jack of all trades
- Suitable for most warehousing and transportation needs
- Can be self stacked 5 high
- SM.1R can be used in pallet racking

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1220 x 915
Useable space	1200 x 885
Outside feet	1325 x 1020
Overall height	SM.1 - 940
	SM.1R - 970
Inside height	735
Under base	SM.1 - 120
	SM.1R - 105
Safe working load	700 kg per unit stacked
	5 high (N.A.T.A tested)
Cubic capacity	0.83 m3
Approx mass	SM.1 - 65 kg
	SM.1R - 68 kg

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



SM.1R

## HM.1

### STANDARD FEATURES:

- No feet ensures easy loading on trucks and no curtain damage
- Ability to store in pallet racking
- Can be used on belt or roller system
- Gates recessed to avoid damage to catches and gates

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1242 x 937
Useable space	1200 x 915
Overall height	922
Inside height	735
Under base	104
Safe working load	1000 kg per unit stacked
	5 high (N.A.T.A tested)
Cubic capacity	0.83 M3
Approx mass	90 kg

## MM.1

### STANDARD FEATURES:

- Fixed post pallet with half drop front gate

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1750 x 1061
Useable space	1750 x 980
Outside feet	1840 x 1158
Overall height	1285
Inside height	1070
Under base	100
Safe working load	1000 kg per unit stacked
	4 high (N.A.T.A tested)
Cubic capacity	2.0 m3
Approx mass	174 kg

## SS.3

### STANDARD FEATURES:

- Useful for small parts
- Use also when floor space is severely limited
- Stacks 5 high on truck when transporting

### SPECIFICATIONS: All measurements are in mm

Base dimensions	930 x 630
Useable space	925 x 605
Outside feet	1040 x 740
Overall height	540
Inside height	360
Under base	100
Safe working load	500 kg per unit stacked
	5 high (N.A.T.A tested)
Cubic capacity	0.21 m3
Approx mass	41 kg

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



HM.1



MM.1



SS.3



SS.1

## SS.1 & SS.1L

### STANDARD FEATURES:

- Same dimensions as SM.1
- Suitable when mesh could cause product damage
- Available with a lockable lid
- Can be stacked 3 high on truck for transporting

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1220 x 915
Useable space	1215 x 890
Outside feet	1325 x 1020
Overall height	940
Inside height	735
Under base	120
Safe working load	700 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.83 m3
Approx mass	SS.1 - 85 Kg SS.1L - 107 kg



SS.1L

## SS.2

### STANDARD FEATURES:

- Half the inside height of SS.1
- Can stack 5 high on truck when transporting

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1220 x 915
Useable space	1215 x 890
Outside feet	1325 x 1020
Overall height	550
Inside height	365
Under base	100
Safe working load	500 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.41 m3
Approx mass	60 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE



SS.2

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS

## CS.1 & CS.1L

### STANDARD FEATURES:

- Substantial savings on return cartage when folded
- Three folded equals one built up
- Sides are not removable, therefore cannot be lost
- Available with a lockable lid
- Available in 1 metre inside height i.e. CS.1X

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1232 x 927
Useable space	1210 x 845
Outside feet	1325 x 1020
Overall height	930
Inside height	720
Folded height	305
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.80 m3
Approx mass	CS.1 - 98 kg CS.1L - 125 kg



CS.1



CS.1L

## CS.2

### STANDARD FEATURES:

- Substantial savings on return cartage when folded
- Two folded equals one built up

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1232 x 927
Useable space	1210 x 845
Outside feet	1325 x 1020
Overall height	550
Inside height	340
Folded height	305
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.41 m3
Approx mass	80 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



CS.2

## CS.3 & CS.4

### STANDARD FEATURES:

CS.3 AND CS.4 have the same base dimensions  
Suitable for use in racking  
Both can be made with lockable lid i.e. CS.3L & CS.4L

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1152 x 1152
Useable space	1130 x 1070
Outside feet	1165 x 1165
Overall height	CS.3 - 775 CS.4 - 1150
Inside height	CS.3 - 560 CS.4 - 925
Folded height	CS.3 - 405 CS.4 - 430
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	CS.3 - 0.763 m3 CS.4 - 1.260 m3
Approx mass	CS.3 - 135 kg - with lid 155 kg CS.4 - 145 kg - with lid 165 kg

CS.3 & CS.4 PALLETS ARE INTERSTACKABLE

## CGM.1

### STANDARD FEATURES:

Used extensively in the motor trade for Kanban  
Half drop gates all 4 sides

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1160 x 630
Useable space	1130 x 535
Outside feet	1168 x 638
Overall height	820
Inside height	625
Folded height	335
Under base	100
Safe working load	850 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	0.4 m3
Approx mass	90 kg

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



CS.3



CS.4L



CGM.1



FP.2 (with 2 shelves)



CBM.1R (folded & stacked)



BM.1FC (folded)



CGM.1 (folded & stacked)



FP.1




DT.1/DT.2



BM.1F



FP.2 (with 1 shelf)



CS.4L (folded)



BM.1SG



SM.1



HM.1



## VICTORIA - HEAD OFFICE:

---



2 - 4 Crawford Street  
BRAESIDE VICTORIA 3195  
PHONE: (03) 9587 3911 FAX: (03) 9587 3987  
Email: [pallets@cevol.com.au](mailto:pallets@cevol.com.au)  
Website: [www.cevol.com.au](http://www.cevol.com.au)  
Despatch:  
229 - 231 Governor Rd (just round the corner)

## N.S.W

---



56 - 58 Power Street  
ST. MARYS NEW SOUTH WALES 2760  
PHONE: (03) 9587 3911 FAX: (03) 9587 3987  
Free Phone: 1800 643 911  
Mobile: 0407 839 775  
Email: [salesnsw@cevol.com.au](mailto:salesnsw@cevol.com.au)

## QUEENSLAND

---



37 - 43 Macbarry Place  
ROCKLEA QUEENSLAND 4106  
PHONE: (07) 3275 3422 FAX: (07) 3216 7909  
Free Phone: 1300 273 626  
Email: [sales@bremco.com.au](mailto:sales@bremco.com.au)

## S.A.

---



4 Trimmer Road  
ELIZABETH SOUTH SA 5112  
Ph: (03) 9587 3911 Fax: (03) 9587 3987  
Free Phone: 1800 643 911  
Email: [pallets@cevol.com.au](mailto:pallets@cevol.com.au)

## W.A.

---



82 Grey Street  
BASSENDEN WA 6054  
Free Phone: 1800 643 911 Fax: (08) 6278 4500  
Mobile: 0400 005 113  
Email: [saleswa@cevol.com.au](mailto:saleswa@cevol.com.au)